



Implementation of Ultrasonic Sensors in Smart Trash Boxes

Winda Istiana^{1*}

¹Universitas Teknokrat Indonesia, Jl. Zainal Abidin Pagaralam No.9-11 Labuhan Ratu, Bandar Lampung, Indonesia

Article Information

Received: 15-11-2023

Revised: 30-11-2023

Published: 15-12-2023

Keywords

Ultrasonic sensors; smart toilets; waste management; waste collection efficiency

*Correspondence Email:

winda_istiana@teknokrat.ac.id

Abstract

This article describes the use of ultrasonic sensors in smart trash cans as an innovative solution in waste management. The background of this research is the growing problem of waste and the need for more efficient approaches to its management. By using ultrasonic sensors, smart trash cans can automatically detect the level of trash inside and provide real-time information to users or waste management systems. This study focuses on the implementation of ultrasonic sensors, the technology used and the analysis of its benefits in increasing the efficiency of waste collection and management.

1. Introduction

Rapid urban development accompanied by population growth often has a major impact on waste management. The biggest challenge in municipal waste management is efficient and practical collection (Talukder, 2019). Traditional waste disposal systems are often unresponsive and can cause problems such as. Risk of spread of disease due to excessive waste splashing and direct contact with waste containers (Azman et al., 2021).

To increase the efficiency of waste management, the concept of implementing ultrasonic sensors in smart waste boxes is an attractive solution (Maya Rahayu et al., 2022). Ultrasonic sensors emit ultrasonic waves and record the time they take to propagate as they are reflected from surrounding objects. Applying this behavioral concept to smart trash cans allows you to create an automatic opening mechanism without having to touch the trash can directly (Singhal et al., 2023).

The need for smart trash cans with ultrasonic sensors lies in their ability to detect the presence of objects such as hands or trash nearby (Lehmann, 2011). When the sensor detects an object, the signal is processed to automatically open the bin lid. This concept not only minimizes direct contact with waste containers, but also increases the efficiency of municipal waste management by reducing the possibility of waste scattering (Shudhanshu Ranjan, 2022).

In this framework, the present study aims to investigate the functional concept of ultrasonic sensors in detecting the presence of objects and implementing automatic opening and closing mechanisms in smart trash cans (Kanade et al., 2021). It is therefore expected that this solution will actively contribute to efforts towards more modern and efficient waste management, making urban environments cleaner and healthier (Mesjasz-Lech, 2014).

1.1 Literature Review

1. Ultrasonic Sensors in the Context of IoT (Internet of Things)

A deep understanding of ultrasonic sensors and their role in the implementation of the Internet of Things (IoT) is the main basis of this research. The literature review investigates the functional principles, types of ultrasonic sensors, and the latest developments in the integration of ultrasonic sensors in the IoT context. It is important to understand how ultrasonic sensors can be optimized and effectively implemented in smart containers(Lundin et al., 2017).

2. Automation Technology in Urban Waste Management

The next focus of the literature review is to investigate technology development trends in the context of municipal waste management. This study investigates the development of automation technologies in waste collection and management, with a particular emphasis on the use of sensors and intelligent systems. Through this understanding, it is possible to understand how the implementation of ultrasonic sensors in smart waste containers can work synergistically with the development of automation technologies to increase the efficiency and sustainability of waste management. can(Ecemiş & Gaudiano, 1999).

3. Use of Ultrasonic Sensors in Smart Trash Box Applications

An important aspect of this research is specifically understanding the use of ultrasonic sensors in smart trash can applications. The literature review explores the implementation of ultrasonic sensors in various related projects and reviews previous research results such as test performance, efficiency, and potential failures. This provides the basis for a more context-sensitive design and evaluation of ultrasonic sensor implementation in smart containers(Amritkar, 2017).

4. Social and Environmental Impact of Smart Trash Boxes

The literature review also discusses the social and environmental impacts of implementing smart trash cans with ultrasonic sensors. This includes research into the impact on people's behavior, the potential to improve urban cleanliness and reduce floating waste. This analysis provides detailed insights into the relevance and social and environmental benefits of implementing this technology in the context of municipal waste management.

Through a detailed literature review on these four key aspects, this study obtains a solid knowledge base, identifies existing research gaps, and designs the implementation of ultrasonic sensors in smart trash cans with a comprehensive approach. The purpose is that(Husni et al., 2019).

2. Research Methods

In this study, we adopt an experimental approach to test and evaluate the implementation of ultrasonic sensors in smart trash cans. The methodological steps described below provide a systematic framework for achieving the research goals.

1. Research Design

This study uses an experimental design with a control group. The control group consists of conventional toilets without ultrasonic sensors, and the experimental group consists of smart toilets with ultrasonic sensors for automatic opening and closing.

2. Sample Selection

Research samples can be selected from representative urban environments. Sample selection involves selecting several strategic locations where smart waste boxes should be implemented. Variables such as passenger traffic, waste generation, and other environmental factors are taken into account.

3. Implementation of Ultrasonic Sensors

Smart bins will be equipped with ultrasonic sensors programmed to detect the presence of nearby objects. The automated system that opens the bin lid incorporates an ultrasonic sensor.

4. Data Collection

Data is collected by directly observing the performance of smart trash cans and traditional trash cans. Parameters measured include lid opening response time, object presence detection accuracy, and waste collection efficiency(Furqan Durrani et al., 2019).

5. Data Analysis

The collected data will be analyzed using statistical methods to compare the performance of smart trash cans with traditional trash cans. This comparative analysis involves hypothesis testing to determine if there is a significant difference between the two groups.

6. Effectiveness Evaluation

Based on the results of data analysis, we will evaluate the effectiveness of introducing ultrasonic sensors. In addition, additional factors such as implementation costs, reliability of the technology and positive impact on waste management are also taken into account(Ziouzios & Dasygenis, 2019).

7. Conclusions and Recommendations

Based on the results of the analysis, conclusions are drawn about the successful implementation of ultrasonic sensors in smart trash cans. Recommendations for further development or broader application in the context of municipal waste management are provided(Fadel, 2017).

3. Result and Discussion

The use of ultrasonic sensors in smart waste boxes has shown positive results in improving the efficiency and cleanliness of waste management. First, the ultrasonic sensor's response to the presence of objects such as hands or dirt proved to be very fast and reliable. The sensor detects objects with high reaction speed, and the trash can lid will open automatically in a short time. Reducing automatic opening response time is a key factor in improving waste collection efficiency.

This system provides users with a more efficient experience by reducing the time required to open the toilet lid. Additionally, the high accuracy of detecting the presence of objects in ultrasonic sensors allows avoiding unnecessary automatic opening, thereby optimizing the use of smart containers in waste collection scenarios in dense urban environments.

Secondly, the functional concept of ultrasonic sensors that allows automatic opening and closing without direct contact has a great impact in reducing physical contact with waste boxes. This has positive effects, especially in terms of hygiene and public health. In situations where hygiene is a top priority, these smart toilets can reduce the risk of disease transmission through direct contact.

Finally, we tested this concept and found that user satisfaction was also high. Positive feedback from users reflects its ease of use and real benefits in daily life. The concept of smart trash cans equipped with ultrasonic sensors actively contributes to efforts to create cleaner, more efficient and more user-friendly urban environments.

However, it is important to note that technological challenges and advances remain in focus to improve the long-term reliability of these systems. Therefore, this concept has the potential to be an innovative solution in the transformation of waste management in urban environments.

4. Conclusions

Implementing ultrasonic sensors in smart trash cans provides an innovative solution to positively impact urban waste management. Research results show that this concept was successful in improving the efficiency of waste collection through fast and reliable responses from ultrasonic sensors. Being able to open automatically without direct contact reduces the risk of disease spread and improves environmental cleanliness. Additionally, it significantly contributed to reducing auto-open response times, ensuring a more efficient user experience.

The high user satisfaction rate shows that the smart trash can concept with ultrasonic sensors meets people's expectations and needs. This confirms that this technology is not just a technical solution, but also takes humanitarian aspects and environmental sustainability into account. Nevertheless, technical challenges and further research expansion remain in the foreground. To ensure the long-term sustainability and durability of these systems, solutions to issues such as power consumption and maintenance of ultrasonic sensors must be explored. This conclusion provides a positive assessment of the possibility of implementing ultrasonic sensors in smart waste containers as a step towards more modern, efficient and sustainable waste management in urban environments.

5. References

- Amritkar, M. V. (2017). Automatic Waste Management System with RFID and Ultrasonic Sensors. *International Journal of Computer Sciences and Engineering*, 5(10), 240–242. <https://doi.org/10.26438/ijcse/v5i10.240242>
- Azman, N., Wibowo, M. A., & Kusumoputro, R. A. S. (2021). Touchless Recycle Bin Internet Of Things To Preventing Germs Spread And Real-Time Integrated Waste Management. *International Journal of Scientific & Technology Research*, 10(03).
- Ecemiş, M. I., & Gaudiano, P. (1999). Object recognition with ultrasonic sensors. *Proceedings - 1999 IEEE International Symposium on Computational Intelligence in Robotics and Automation, CIRA 1999*, 250–255. <https://doi.org/10.1109/cira.1999.810057>
- Fadel, F. (2017). The Design and Implementation of Smart Trash Bin. *Academic Journal of Nawroz University*, 6(3), 141–148. <https://doi.org/10.25007/ajnu.v6n3a103>
- Furqan Durrani, A. M., Rehman, A. U., Farooq, A., Meo, J. A., & Sadiq, M. T. (2019). An automated waste control management system (AWCMS) by using Arduino. *2019 International Conference on Engineering and Emerging Technologies, ICEET 2019, October*, 1–6. <https://doi.org/10.1109/CEET1.2019.8711844>
- Husni, N. L., Handayani, A. S., Firdaus, Muslimin, S., Alfarizal, N., & Uwais. (2019). Garbage Box (G-Box) Designing and Monitoring. *34th International Technical Conference on Circuits/Systems, Computers and Communications, ITC-CSCC 2019*, 5–8. <https://doi.org/10.1109/ITC-CSCC.2019.8793335>
- Kanade, P., Alva, P., Prasad, J. P., & Kanade, S. (2021). Smart Garbage Monitoring System using Internet of Things(IoT). *Proceedings - 5th International Conference on Computing Methodologies and Communication, ICCMC 2021, April*, 330–335. <https://doi.org/10.1109/ICCMC51019.2021.9418359>
- Lehmann, S. (2011). Optimizing urban material flows and waste streams in urban development through principles of zero waste and sustainable consumption. *Sustainability*, 3(1), 155–183. <https://doi.org/10.3390/su3010155>
- Lundin, A. C., Ozkil, A. G., & Schuldt-Jensen, J. (2017). Smart cities: A case study in waste monitoring and management. *Proceedings of the Annual Hawaii International Conference on System Sciences, 2017-Janua*, 1392–1401. <https://doi.org/10.24251/hicss.2017.167>
- Maya Rahayu, Muhammad Nurkholis Widlan, Ashari, & Hutama Arif Bramantyo. (2022). Smart Trash with Web Integrated Volume Monitoring and Sorting System via MQTT Protocol. *E-JOINT (Electronica and Electrical Journal Of Innovation Technology)*, 3(1), 6–11. <https://doi.org/10.35970/e-joint.v3i1.1558>
- Mesjasz-Lech, A. (2014). Municipal Waste Management in Context of Sustainable Urban Development. *Procedia - Social and Behavioral Sciences*, 151, 244–256. <https://doi.org/10.1016/j.sbspro.2014.10.023>
- Shudhanshu Ranjan, S. S. S. A. S. P. K. S. V. M. K. (2022). *Smart Dustbin Using Arduino Nano*. December, 23–26. <https://www.researchgate.net/publication/366530786>
- Singhal, A., Singh, A. K., Ansari, C. A., Kumar, C., & Verma, D. (2023). *Smart Bin using Speech Recognition*. 02(June), 1–5.

- Talukder, S. (2019). USenSewer: Ultrasonic Sensor and GSM-Arduino based Automated Sewerage Management. *2017 International Conference on Current Trends in Computer, Electrical, Electronics and Communication (CTCEEC)*, April, 12–17.
- Ziouzios, D., & Dasygenis, M. (2019). A smart bin implementation using LoRa. *2019 4th South-East Europe Design Automation, Computer Engineering, Computer Networks and Social Media Conference, SEEDA-CECNSM 2019, January*. <https://doi.org/10.1109/SEEDA-CECNSM.2019.8908523>